



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,226	05/12/2006	Philippe Belleville	10404.042.00	6388
30827	7590	05/15/2008	EXAMINER	
MCKENNA LONG & ALDRIDGE LLP			BERDICHEVSKY, MIRIAM	
1900 K STREET, NW				
WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER
			4132	
			MAIL DATE	DELIVERY MODE
			05/15/2008	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/579,226	BELLEVILLE ET AL.
	<b>Examiner</b>	<b>Art Unit</b>
	MIRIAM BERDICHEVSKY	4132

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) Responsive to communication(s) filed on preliminary amendment 5/12/2006.
- 2a) This action is **FINAL**.                    2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) Claim(s) \_\_\_\_\_ is/are allowed.
- 6) Claim(s) 1-11 is/are rejected.
- 7) Claim(s) \_\_\_\_\_ is/are objected to.
- 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 12-06-2006 is/are: a) accepted or b) objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All    b) Some \* c) None of:
1. Certified copies of the priority documents have been received.
  2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____ .                                    |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/06/2006</u> .  | 6) <input type="checkbox"/> Other: _____ .                        |

## **DETAILED ACTION**

### ***Claim Analysis***

1. Claims 1, 6-7 and 9 are product by process and even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process (MPEP, 2113). *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). Therefore, the steps recited are not germane to the final product.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-2, 5-7 and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by Ding (“*Nanofabrication of Organic/Inorganic Hybrids of TiO<sub>2</sub> with Substituted Phthalocyanine or Polythiophene*” as cited in the IDS).

As to claim 1, Ding teaches a pn—semiconductor material that can be obtained by the following steps:

- A step in which a substrate made of porous oxide ceramic (porous TiO<sub>2</sub> nanoparticles – section I, ¶ 2) is functionalized by chemical grafting of one

or more compounds containing at least one group (carboxylic groups - section I, ¶ 3) that can be polymerized with one or more precursors of an electrically conducting polymer (PTAA - section I, ¶ 3) and at least one group able to be chemically grafted (covalent linkage - section I, ¶ 3) onto said substrate;

- A step in which the substrate thus functionalized is impregnated with a solution containing said precursor(s); and
- A step in which the precursor (s) are polymerized (section I, ¶ 3).

Examiner notes that the process by which the pn-semiconductor material is not germane to the final product, see claim analysis above for a complete discussion of product by process. Therefore, because the prior art meets the structural limitations of the claimed invention, a porous oxide substrate with an electrically conducting polymer chemically grafted to the substrate the prior art anticipates the claimed invention.

Regarding claims 2 and 5, Ding teaches that the ceramic is TiO<sub>2</sub> (section 1, ¶ 2).

Regarding claim 6, the group able to be chemically grafted onto the ceramic is COOR<sup>1</sup> where R<sup>1</sup> represents a hydrogen atom (carboxylic groups) (section 1, ¶ 3).

Regarding claim 7, Ding teaches that the group chosen COOR<sup>1</sup> where R<sup>1</sup> represents a hydrogen atom can be polymerized with precursors of an electrically conducting polymer chosen group thiophene (PTAA) (section 1, ¶ 3). Examiner notes that the process by which the pn-semiconductor material is not germane to the final product, see claim analysis above for a complete discussion of product by process.

Therefore the use of precursors is not a structural limitation because the final product in both cases is a polymer chemically grafted to a porous oxide ceramic.

Regarding claim 9, Ding teaches that the porous oxide ceramic substrate is TiO<sub>2</sub> chemically grafted by thiophene-3-acetic acid (if the polymer directly bonds to the substrate then the link between the substrate and the polymer less one unit will be a monomer of the polymer which is thiophene-3-acetic acid) to an alkylthiophene (PTAA) (Figure 1). Examiner notes that because the step of functionalization and impregnation are not germane to the structural limitations of the final product (alkylthiophene chemically grafted to TiO<sub>2</sub> via thiophene-3-acetic acid) the steps are not given patentable weight, see claim analysis for a complete discussion of product by process.

Regarding claim 11, Ding teaches the use of the pn-semiconductor material comprising a porous metal oxide ceramic chemically grafted to an electrically conducting polymer grafted thereto for use in a solar cells (section 1, ¶ 1), in order for the solar cell to operate the solar cell will inherently have the pn-semiconductor material being between a current collecting first electrode, a second electrode.

4. Claims 1-3, 5-9 and 11 are rejected under 35 U.S.C. 102(a) as being anticipated by Yagangida (“*Polythiophene-sensitized TiO<sub>2</sub> solar cells*”).

As to claim 1, Yagangida teaches a pn—semiconductor material that can be obtained by the following steps:

- A step in which a substrate made of porous oxide ceramic (porous TiO<sub>2</sub> – section I, ¶ 3) is functionalized by chemical grafting of one or more compounds containing at least one group (COOH - section I, ¶ 3) that can

be polymerized with one of more precursors of an electrically conducting polymer (P3TAA-PHT - section I, ¶ 3) and at least one group able to be chemically grafted (covalent linkage - section I, ¶ 3) onto said substrate;

- A step in which the substrate thus functionalized is impregnated with a solution containing said precursor(s); and
- A step in which the precursor (s) are polymerized (section I, ¶ 3).

Examiner notes that the process by which the pn-semiconductor material is not germane to the final product, see claim analysis above for a complete discussion of product by process. Therefore because the prior art meets the structural limitations of the claimed invention, a porous oxide substrate with an electrically conducting polymer chemically grafted to the substrate the prior art anticipates the claimed invention.

Regarding claims 2 and 5, Yanagida teaches that the ceramic is TiO<sub>2</sub> (section 1, ¶ 3).

Regarding claim 3, Yanagida teaches that the porous oxide ceramic is mesoporous (section I, ¶ 3).

Regarding claim 6, Yanagida teaches that the group able to be chemically grafted onto the ceramic is COOR<sup>1</sup> where R<sup>1</sup> represents a hydrogen atom (carboxylic groups) (section 1, ¶ 3).

Regarding claim 7, Yanagida teaches that the group chosen COOR<sup>1</sup> where R<sup>1</sup> represents a hydrogen atom can be polymerized with precursors of an electrically conducting polymer chosen group thiophene (P3TAA-PHT) (section 1, ¶ 3). Examiner notes that the process by which the pn-semiconductor material is not germane to the

final product, see claim analysis above for a complete discussion of product by process. Therefore the use of precursors is not a structural limitation because the final product in both cases is a polymer chemically grafted to a porous oxide ceramic.

Regarding claim 8, Yanagida teaches inclusion of chromophore(s) (polymer dyes - section 3, ¶ 3 and Table 6).

Regarding claim 9, Yanagida teaches that the porous oxide ceramic substrate is TiO<sub>2</sub> chemically grafted by thiophene-3-acetic acid (P3TAA, where the side methyl group serves as a second attachment site) to an alkylthiophene (PHT) (Figure 1). Examiner notes that because the step of functionalization and impregnation are not germane to the structural limitations of the final product (alkylthiophene chemically grafted to TiO<sub>2</sub> via thiophene-3-acetic acid) the steps are not given patentable weight, see claim analysis for a complete discussion of product by process.

Regarding claim 11, Yanagida teaches a current collecting first electrode, a second electrode; and a semiconducting region as defined by claim 1 (section I, ¶ 3) between the first (Pt counter electrode) and second electrode (polymer coated electrode) (section 2.3, Figure 1).

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

7. Claims 3-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ding as applied to claim 1 above, in view of Yanagida.

Applicant is directed to the paragraphs above for a complete discussion of Ding.

Regarding claim 3, Ding does not specify that the nanoparticles are mesoporous.

Yanagida teaches mesoporous nanoparticles (section I, ¶ 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the mesoporous nanoparticles of Yanagida in Ding because the optimum diameter value of pores that results from a compromise between increased surface area (more smaller pores) and large enough diameter to decrease steric hindrance effects during polymerization) is a result effective variable that involves only routine skill in the art.

Regarding claim 4, Ding teaches that the nanoparticles are mesostructured (network of porous nanoparticles) (section I, ¶ 2).

8. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ding as applied to claim 1 above.

Applicant is directed to the paragraphs above for a complete discussion of Ding.

Regarding claim 11, Ding teaches the use of the pn-semiconductor material comprising a porous metal oxide ceramic chemically grafted to an electrically conducting polymer grafted thereto for use in a solar cells but is silent to the pn-semiconductor material being between a current collecting first electrode, a second electrode.

It would have been obvious to one of ordinary skill in the art to at the time of the invention to place the pn-semiconductor material between a first and second electrode in the solar cell because otherwise the solar cell would not function.

9. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ding as applied to claim 1 above, in view of Zhao ("Polymer brushes: surface-immobilized macromolecules").

Regarding claim 10, Ding teaches a method of preparing a semiconductor material comprising the steps of: a step in which a substrate made of porous oxide ceramic (porous TiO<sub>2</sub> – section I, ¶ 2) is functionalized by chemical grafting of one or more compounds containing at least one group (COOH - section I, ¶ 3) that can be polymerized with one of more precursors of an electrically conducting polymer (P3TAA- section I, ¶ 3) and at least one group able to be chemically grafted (covalent linkage - section I, ¶ 3) onto said substrate.

Ding is silent to a step in which the substrate thus functionalized is impregnated with a solution containing the precursor(s); and a step in which the precursor (s) are polymerized.

Zhao teaches a conventional chemical grafting method (grafting from) that requires the step of functionalizing the surface (I, initiators) and impregnating with a solution of precursors (M, monomers) which are then polymerized (Figure 9). Zhao teaches that the advantage of using grafting from rather than the method taught by Ding (grafting to) is that there is an increasing in grafting density, as taught by Zhao (page 693, section 4).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the ‘grafting from’ method of Zhao in Ding because ‘grafting from’ decreases the amount of steric hindrance because the precursor (monomers) are smaller molecules than polymers and can readily reach the substrate to link.

10. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yanagida as applied to claim 1 above, in view of Zhao.

Applicant is directed to the paragraphs above for a complete discussion of Yanagida.

Regarding claim 10, Yanagida teaches a method of preparing a semiconductor material comprising the steps of: a step in which a substrate made of porous oxide ceramic (porous TiO<sub>2</sub> – section I, ¶ 3) is functionalized by chemical grafting of one or more compounds containing at least one group (COOH - section I, ¶ 3) that can be polymerized with one of more precursors of an electrically conducting polymer (P3TAA-PHT - section I, ¶ 3) and at least one group able to be chemically grafted (covalent linkage - section I, ¶ 3) onto said substrate.

Yanagida is silent to a step in which the substrate thus functionalized is impregnated with a solution containing the precursor(s); and a step in which the precursor (s) are polymerized.

Zhao teaches a conventional chemical grafting method. 'grafting from.' that requires the step of functionalizing the surface (I, initiators) and impregnating with a solution of precursors (M, monomers) which are then polymerized (Figure 9). Zhao teaches that the advantage of using 'grafting from' rather than the method taught by Ding, which uses the 'grafting to' method, is that there is an increasing in grafting density, as taught by Zhao (page 693, section 4).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the grafting from method of Zhao in Ding because grafting from decreases the amount of steric hindrance because the precursor (monomers) are smaller molecules than polymers and can readily reach the substrate to link.

#### ***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MIRIAM BERDICHEVSKY whose telephone number is (571)270-5256. The examiner can normally be reached on M-Th, 7:30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Ward can be reached on (571) 272-1223. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. B./  
Examiner, Art Unit 4132

/Jessica L. Ward/  
Supervisory Patent Examiner, Art Unit 4132